

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

glycanase and (thick or viscous or viscosity)

Search

[Advanced Search](#)  
[Preferences](#)Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web Results 1 - 9 of 9 for glycanase and (thick or viscous or viscosity) with Safesearch on. (0.35 seconds)****[PDF] Cloning of the XynA gene from Thermomyces lanuginosus and ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)form a gel like structure which creates an obviously sticky or **viscous** digesta. Increased intestinal **viscosity** reduces the passage rate of digesta (Antoniou ...

etd.uovs.ac.za/ETD-db/theses/available/ etd-09202002-113154/restricted/NelS.PDF -

[Similar pages](#)**[PDF] Expression of delta F508 cystic fibrosis transmembrane conductance ...**

File Format: PDF/Adobe Acrobat

before 0.75 to 1.00 U of N-**glycanase** (Genzyme, Framingham, MA) ... was abnormally **viscous** in all the patients. Increased **viscosity** ...doi.wiley.com/10.1002/hep.510290634 - [Similar pages](#)**[PDF] ANTIMICROBIAL USE OF NATIVE AND ENZYMATICALLY DEGRADED CHITOSANS ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)In the **glycanase** class **viscosity** reduction ranged from 68-99%. ... chitosan dip was very **viscous** and. formed a **thick** coating on the salmon fillets. ...www.library.umaine.edu/theses/pdf/NicholasTA2003.pdf - [Similar pages](#)**UM Fogler Library Electronic Theses and Dissertations**Patterns of **glycanase** distribution and activity in intertidal sediments of ... The study of steady-state and unsteady-state **viscosity** of coating color, 1966 ...

www.library.umaine.edu/theses/theses.asp?

cmd=browse&browseby=author&searchvalue=GN - [Similar pages](#)**[PDF] Membrane-Assisted Isoform ImmunoAssay: Separation and ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)charides were released by N-**glycanase** and thereafter reduced with NaB[ ... the surface tension, **viscosity** and contact angle of the liquid, the radius of the ...

www.diva-portal.org/diva/getDocument?urn\_nbn\_se\_uu\_diva-1861-1\_\_fulltext.pdf -

[Similar pages](#)**[PDF] ACTORS INFLUENCING THE TOTAL TRACT APPARENT DIGESTIBILITY OF ...**

File Format: PDF/Adobe Acrobat

positive relationship between soluble NSP and in vitro extract **viscosity** confirms this. component as a potentially **viscous**-producing material in the gut of ...

www.lib.murdoch.edu.au/adt/pubfiles/ adt-MU20040520.155947/02Whole.pdf -

[Similar pages](#)**[PDF] 2nd European Symposium on Enzymes in Grain Processing ESEPG-2**

File Format: PDF/Adobe Acrobat

Organism. Xylanase. **Glycanase**. family. Specific activity. Birch xylan. Red. end assay. (nkat/mg). Rye xylan. **Viscosity** assay. (vu/mg). Reducing/. **Viscosity** ...www.vtt.fi/inf/pdf/symposiums/2000/S207.pdf - [Similar pages](#)**[PDF] Proceedings of the AUSTRALIAN POULTRY SCIENCE SYMPOSIUM Volume 17 2005**

File Format: PDF/Adobe Acrobat

The performance of broiler chickens fed diets containing **viscous** grains (wheat) is

generally ... **glycanase** enzyme product when chickens were 15 days of age. ...  
[www.vetsci.usyd.edu.au/apss/Documents/APSS2005.pdf](http://www.vetsci.usyd.edu.au/apss/Documents/APSS2005.pdf) - [Similar pages](#)

[PDF](#) in of @Bernard

File Format: PDF/Adobe Acrobat

Chinese soy sauce (zhi you) and is highly **viscous** with a dark colour (Nunomura ... of N-  
**glycanase** were incubated with 0.1 M sodium phosphate buffer (pH 7.5) ...

[www.collectionscanada.ca/obj/s4/f2/dsk2/ftp03/NQ50171.pdf](http://www.collectionscanada.ca/obj/s4/f2/dsk2/ftp03/NQ50171.pdf) - [Similar pages](#)

Try your search again on [Google Book Search](#)

glycanase and (thick or viscous or vi

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	resin near particle and glycanase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:36
L2	579	resin near particle and (thickening near agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:36
L3	35	resin near particle and (thickening near agent) and shear near force	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:37
L6	32	resin near particle and (thickening near agent) and shear near force and dispersi\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:38
L7	95	resin near particle and (thickening near agent or thickener) and shear near force and dispersi\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:39
L8	2	resin near particle/.ttl. and (thickening near agent or thickener) and shear near force and dispersi\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:39
L9	41	resin near particle and (thickening near agent or thickener) and shear near force and aqueous near dispersi\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:40
L10	23	resin near particle and (thickening near agent or thickener) and shear near force and aqueous near dispersi\$4 and viscosity near4 (decreas\$4 or increas\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:45

## EAST Search History

L11	12	"5399618"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:45
L12	9	"5399618" and shear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:45

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

resin particle and (thickening agent or thickener)

[Search](#)[Advanced Search](#)  
[Preferences](#)Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web Results 1 - 10** of about **159** for **resin particle and (thickening agent or thickener) and shear force and****Scholarly articles for resin particle and (thickening agent or thickener) and shear force and aqueous dispersion and viscosity**[Additives for Coatings](#) - by Bieleman - 12 citations[Product-centered processing: Manufacture of ...](#) - by Wibowo - 9 citations**PQ Corporation - Applications Support - Glossary**Used as a **thickening agent** in former PQ quaternary ammonium silicate products. ... Solid **particles** settling out of a liquid. Pressure, **Force** applied to or ...[www.pqcorp.com/technicalservice/Glossary.asp](http://www.pqcorp.com/technicalservice/Glossary.asp) - 103k - [Cached](#) - [Similar pages](#)**Zenitech - Glossary**Absolute (Dynamic) **Viscosity** Ratio of stress to rate of **shear** strain. ... Greases Solid or semifluid products of the **dispersion** of a **thickening agent** in a ...[www.zenitech.com/glossary.html](http://www.zenitech.com/glossary.html) - 91k - [Cached](#) - [Similar pages](#)**Synthetic polymer - Patent 4226754**An **aqueous** polymer emulsion useful as a **thickening agent** in **aqueous** ... the high **shear viscosity** of the blank formulation wherein no **thickener** is employed. ...[freepatentsonline.com/4226754.html](http://freepatentsonline.com/4226754.html) - 150k - [Cached](#) - [Similar pages](#)**[PDF] Articles Mast for Web.qxp**File Format: PDF/Adobe Acrobat - [View as HTML](#)A **dispersion** is prepared by grinding the powder in a ball mill or attritor, with. water, a dispersing **agent**, and a suspending **agent** (**thickener** or **viscosity** ...[www.rtvanderbilt.com/Latex%20by%20Bob%20Dzikowicz%20onWebMast.pdf](http://www.rtvanderbilt.com/Latex%20by%20Bob%20Dzikowicz%20onWebMast.pdf) -[Similar pages](#)**Cabot Corporation**... **dispersion** of charged **resin particles** that have been pigmented. ... The **viscosity** of the material decreases as any applied **shear force** increases. ...[w1.cabot-corp.com/controller.jsp?N=23+1004&](http://w1.cabot-corp.com/controller.jsp?N=23+1004&)entry=product&sortby=sortName&pagenum=5 - 77k - [Cached](#) - [Similar pages](#)**Welcome to Chemweb — Welcome to Chemweb**Steady **shear viscosity** study of various HEUR models with different hydrophilic ...Attempts to reduce the affinity of the **particles** for the **aqueous** phase by ...[www.chemweb.com/journals?type=issue&jid=09277757&iid=02530001](http://www.chemweb.com/journals?type=issue&jid=09277757&iid=02530001) - 76k -[Cached](#) - [Similar pages](#)**Glossary---Leading Through Technology**Used as a **thickening agent** in former PQ quaternary ammonium silicate products. ... of an intimate **dispersion** of pigments in a varnish or **resin** vehicle. ...[www.silicates.com/leading-glossary.asp](http://www.silicates.com/leading-glossary.asp) - 72k - [Cached](#) - [Similar pages](#)**United States Patent: 4395524**1.0 Defoamer (Foamaster VL) 2.0 Water 30.0 **Aqueous Thickener** Solution, conc. adjusted as ... High **Shear** (ICI) **viscosity** is measured by an ICI Cone and Plate ...

patft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO2& Sect2=HITOFF&p=1&u=%2Fnetahtml%25%2FPTO%25%2Fs... - 90k - Cached - Similar pages

## Victoria Packing Terminology

**Dispersion** or suspension of extremely fine **particles** of liquid or solid in a ... Liquids, which do not change in **viscosity** with a change in rate of **shear**. ...

www.victoriapacking.com/tradeglossary.html - 252k - Cached - Similar pages

## PolyAid® GLOSSARY OF POLYMER TERMINOLOGY Close Window A B C D E F ...

Gas is generated from the dispersed **particles** of the blowing **agent**, ... **Thickening agent**, Substance used to raise or control the **viscosity** without the ...

[www.dannier.com/access/PolyAid-Glossary.htm](http://www.dannier.com/access/PolyAid-Glossary.htm) - 557k - Cached - Similar pages

Try your search again on [Google Book Search](#)



Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Speed up the web. Download the Google Web Accelerator.

resin particle and (thickening agent c [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

resin particle and (thickening agent or thickener)

[Search](#)[Advanced Search](#)  
[Preferences](#)Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 11 - 20 of about 159 for **resin particle and (thickening agent or thickener) and shear force and**[\[PDF\] 120003093\\_MC\\_C42\\_001\\_R1\\_X0.kwd](#)

File Format: PDF/Adobe Acrobat

the **particle** size, surface tension and **viscosity** of the latex, but the ave- ... molecular weight of **thickener** (6). **Thickening** action and rheological proper- ...  
taylorandfrancis.metapress.com/ index/YJ2689G184QAV81H.pdf - [Similar pages](#)[\[PDF\] Rheological properties and microstructures of Carbopol gel network ...](#)

File Format: PDF/Adobe Acrobat

as a function of the **shear** rate neutralizing **agent**, it was. difficult to determine the zero-**shear-rate viscosity** since ...  
www.springerlink.com/index/17T6V0YXU705LXUC.pdf - [Similar pages](#)[\[PDF\] Natrosol Hydroxyethylcel.](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Apparent **Viscosity**. . cps. 1.0% Natrosol 250HR. **Shear** Rate, reciprocal sec. **Particle**. Suspension. at Rest,. Film Sag. Under Gravity. Brookfield. Viscometer ...  
www.herc.com/aqualon/pharm/pharm\_data\_sheets/ images/pdf\_files/250\_11g.pdf - [Similar pages](#)[\[PDF\] Particulate Fluids Processing Centre 2005 Annual Report](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)introduces a **shear force**. This **force** plays an ... **Thickener** dewatering optimisation in the- minerals industry. P Scales. Judy Lee ...  
www.pfpc.unimelb.edu.au/ news/pubs/pdf/annualreport05.pdf - [Similar pages](#)[Microbial heteropolysaccharide - Patent 4506044](#)The **viscosity** of a 1% solution of xanthan gum at a **shear** rate of 1 sec..sup. ... A part of Biopolymer PS 87 used as a **thickening** and suspending **agent** can be ...  
www.freepatentsonline.com/4506044.html - 116k - [Cached](#) - [Similar pages](#)  
[ [More results from www.freepatentsonline.com](#) ][CHAPTER 2 - PRODUCTION, PROPERTIES AND USES OF ALGINATES](#)... on their **thickening** effect, their ability to increase the **viscosity** of **aqueous** ... However these pastes are more likely to lose **viscosity** as **shear** rate ...  
www.fao.org/docrep/X5822E/x5822e04.htm - 155k - [Cached](#) - [Similar pages](#)[\[PDF\] Product-centered processing: Manufacture of chemical-based ...](#)

File Format: PDF/Adobe Acrobat

**Aqueous** solvent. Water. **Viscosity** control. **Thickening agent** ... **Thickener**. Carbomer, propylene glycol. **shear**-thinning behavior ...  
doi.wiley.com/10.1002/aic.690480609 - [Similar pages](#)[\[PDF\] "Applications in the Adhesives and Construction Industries". In ...](#)

File Format: PDF/Adobe Acrobat

**dispersion** decreases with increasing addition of **thickener**, the proportion ... content and **viscosity** by **thickening**, dilution and addition of. wetting **agent**. ...  
doi.wiley.com/10.1002/3527600582.ch8 - [Similar pages](#)

::COSSMA: News from the industry::

Making pigment **dispersion** easy - Crodasperse Claiming to make high-energy **shear** mixing a thing of the past, Crodasperse is a new dispersing **agent** developed ...  
www.health-and-beauty.com/main/ News-from-the-indust.2312.0.html?&lang=en - 293k -  
[Cached](#) - [Similar pages](#)

[PDF] 1990-Evaluation of Cellulose Ethers for Conservation

File Format: PDF/Adobe Acrobat

terized by an increase in apparent **viscosity** when a **shear force** is removed. Thixot- ...  
CMC—A Diversified **Thickening Agent**. Specialty Chemicals 2(2):12-13. ...  
www.getty.edu/conservation/ publications/pdf\_publications/ethers.pdf - [Similar pages](#)



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) **Next**

resin particle and (thickening agent or thickener) and shear force and aqueous ...

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



[http://www.google.com/search?q=resin+particle+and+\(thickening+agent+or+thicken...](http://www.google.com/search?q=resin+particle+and+(thickening+agent+or+thicken...) 6/19/06

[www.foodnet.cgiar.org/Projects/Starch%20Monograph.pdf](http://www.foodnet.cgiar.org/Projects/Starch%20Monograph.pdf) - [Similar pages](#)

**[PDF] Particulate Fluids Processing Centre 2003 Annual Report**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**shear** and compression in **thickening**. A pilot scale tall column has ... dilute **aqueous** (low **viscosity**) polymer solutions. The moderate ...


[www.pfpc.unimelb.edu.au/news/pubs/pdf/annualreport03.pdf](http://www.pfpc.unimelb.edu.au/news/pubs/pdf/annualreport03.pdf) - [Similar pages](#)

**[PDF] Ageing effects on radwaste storage, retrieval and treatment**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

by the presence of 1X **resin** beads, the **viscosity** about 100 Pa s at low **shear** rate and the total activity of solids (excluding tritium) about 70 MBq kg<sup>-1</sup>. ...

[www.hse.gov.uk/research/nuclear/levy/chempro/ccpwr11.pdf](http://www.hse.gov.uk/research/nuclear/levy/chempro/ccpwr11.pdf) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

resin particle and (thickening agent or thickener)

[Search](#)[Advanced Search](#)  
[Preferences](#)Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 31 - 40 of about 159 for resin particle and (thickening agent or thickener) and shear force and[\[PDF\] Derwent](#)

File Format: PDF/Adobe Acrobat

mixing this solution with an **aqueous dispersion** of a protective colloid, so ... comprising amphipathic foaming **agent**, **viscosity** enhancer, and. **thickener** ...scientific.thomson.com/ts/ media/dw/productpdfs/itppdfs/itftspe.pdf - [Similar pages](#)[\[PDF\] FUMED SILICA](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)AEROSIL **particles** link up again and the. original **viscosity** is restored. ... **shear** levels to achieve the optimum. **thickening** effect. An additional ...birdchem.com/pdf/Aerosil-T.pdf - [Similar pages](#)[\[PDF\] DECOPAINT: Study on the Potential for Reducing Emissions of ...](#)

File Format: PDF/Adobe Acrobat

The **dispersion** requires **thickening** or a degree of "body". (**thickener**) ... to restructure after **shear**. High **shear viscosity** properties are the ...www.eu.int/comm/environment/air/pdf/decopaint.pdf - [Similar pages](#)[\[doc\] Chapter 1 Introduction](#)File Format: Microsoft Word - [View as HTML](#)The resultant suspension has a low **viscosity** and is thus inadequate as a **thickener**, ... It is possible that a similar **force** is preventing **particles** from ...www.rpi.edu/~weberd/Final%20Thesis.doc - [Similar pages](#)[\[PDF\] IPPC Sector Guidance Note IPPC 6.01](#)

File Format: PDF/Adobe Acrobat

After either system, water is removed in a **thickener** followed by further cleaning and ... emulsifiers/promoters. 0-20 kg/t paper. **Aqueous. Dispersion** ...www.environment-agency.gov.uk/ commondata/acrobat/ippcpulp.pdf - [Similar pages](#)[\[doc\] <Slika><Slika>](#)File Format: Microsoft Word - [View as HTML](#)Solution or **dispersion** of **resin** in a solvent or water. ... The tendency for the **viscosity** of a liquid to be **shear**-rate dependent. ...www.bf.uni-lj.si/les/pohistvo/Files/Slovar.doc - [Similar pages](#)[\[PDF\] WEDNESDAY MONDAY TUESDAY](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)... for the determination of **thickening** parameters, **thickener** design and ... Effect of fraction solid and **shear** rate on the **viscosity** of SSM Al-Si alloys. ...www.metsoc.org/com2006/program.pdf - [Similar pages](#)[Rezumate](#)... is a fine **dispersion** of an oil-insoluble **thickening agent**- usually a soap- in a ... The nature and amount of the **thickener**, the characteristics of the ...www.cael.pub.ro/cicic/rezumate.htm - 742k - [Cached](#) - [Similar pages](#)[eArticle](#)

In marmalade production, agar is used as a **thickening** and gelling **agent**. ... However these pastes are more likely to lose **viscosity** as **shear** rate increases ...  
ecoport.org/ ep?SearchType=earticleView&earticleId=136&page=-2 - 375k -  
[Cached](#) - [Similar pages](#)

[\[PDF\] ORLD EXTILE BSTRACTS](#)

File Format: PDF/Adobe Acrobat

The invention relates to an exhaustion **agent**, which is an **aqueous** ... 1452 Modeling **shear thickening** in dilute polymer solu- ...  
www.elsevier.com/homepage/sah/ spd/2004sample\_pdfs/iss2.geos/75wtab.pdf -  
[Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

resin particle and (thickening agent or thickener) and shear force and aqueous ...

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

resin particle and (thickening agent or thickener)



[Advanced Search](#)  
[Preferences](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Web Results 41 - 50** of about **159** for **resin particle and (thickening agent or thickener) and shear force and**

[Melbourne Research Office -> Research Data Collection ...](#)

Hulston J - Use of flocculants in **thickening** and washing of bauxite ... **Shear force** - unbalanced moment transfer at R/C exterior wide band beam connections. ...

[www.research.unimelb.edu.au/rpag/reports/research/2002/engineering/](http://www.research.unimelb.edu.au/rpag/reports/research/2002/engineering/) - 354k -

[Cached](#) - [Similar pages](#)

[\[PDF\] Microsoft PowerPoint - 050221 Polymers in cosmetics.ppt](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

provide simultaneous **thickening** and hair fixing from. **aqueous** and/or ... conditioning **agent particles** have a volume average **particle** size of up to about 125 ...

[media.thecosmeticsite.com/documents/ATC+2005\\_Lochhead.pdf](http://media.thecosmeticsite.com/documents/ATC+2005_Lochhead.pdf) - [Similar pages](#)

[\[PDF\] SPRING 2006 LIVE PATENT AUCTION](#)

File Format: PDF/Adobe Acrobat

**viscosity**. The **thickening** system may be formulated with a ... and flowability with good solubilization/**dispersion** in **aqueous**. solution. ...

[oceanomo.com/PDFs/2006SpringAuction/Ocean\\_Tomo\\_Auctions\\_Catalog.pdf](http://oceanomo.com/PDFs/2006SpringAuction/Ocean_Tomo_Auctions_Catalog.pdf) -

[Similar pages](#)

[\[PDF\] Emulsion-Based Pressure-Sensitive Adhesives: A Review](#)

File Format: PDF/Adobe Acrobat

monomer droplets, through the **aqueous** phase and into the latex **particles**, ... followed by a **shear thickening** behavior where **viscosity** can increase again. ...

[taylorandfrancis.metapress.com/index/DCKAE21BQ56N7GY9.pdf](http://taylorandfrancis.metapress.com/index/DCKAE21BQ56N7GY9.pdf) - [Similar pages](#)

[\[PDF\] 1027 AJP A/Report 99/00](#)

File Format: PDF/Adobe Acrobat

The **Thickener** Technology team is the leading research group in the world on ... **Shear** is the stress or deforming. **force** that occurs as parallel planes slide ...

[www.parkercentre.com.au/documents/99-00\\_Annual\\_Report.pdf](http://www.parkercentre.com.au/documents/99-00_Annual_Report.pdf) - [Similar pages](#)

[ [More results from www.parkercentre.com.au](#) ]

[\[PDF\] CERAMIC ABSTRACTS](#)

File Format: PDF/Adobe Acrobat

a cement **thickening** time extending and water loss reducing **agent** ... colloidal **particles** of the metal oxide in an **aqueous** medium, cool- ...

[www.blackwell-synergy.com/doi/pdf/10.1111/j.1151-2916.1961.tb13706.x](http://www.blackwell-synergy.com/doi/pdf/10.1111/j.1151-2916.1961.tb13706.x) - [Similar pages](#)

[\[PDF\] 2002 Planning Committee](#)

File Format: PDF/Adobe Acrobat

EFFECT OF MEAN **PARTICLE** SIZE OF FRACTIONATION **RESIN** ON ... teosinte starch had a lower peak **viscosity** (136 RVU), larger **shear** thinning (79RVU), lower ...

[www.corn.org/2002CUTCproceedings.pdf](http://www.corn.org/2002CUTCproceedings.pdf) - [Similar pages](#)

[\[PDF\] Derwent](#)

File Format: PDF/Adobe Acrobat

or **thickening agent**, cane sugar or sweetening **agent** and water, and making ... mixing this solution with an **aqueous dispersion** of a protective colloid, so ...

[www.thomsonscientific.jp/products/itp/pdf/food/itftspe05.pdf](http://www.thomsonscientific.jp/products/itp/pdf/food/itftspe05.pdf) - [Similar pages](#)

[PDF] [UFC 3-280-04 Army Filtration of Liquids](#)

File Format: PDF/Adobe Acrobat

nisms by which particulates are removed from the **aqueous** stream. ... Command (NAVFAC) and the Air **Force**. Civil Engineering Support **Agency**. (AFCESA. ... [www.wbdg.org/ccb/DOD/UFC/ufc\\_3\\_280\\_04.pdf](http://www.wbdg.org/ccb/DOD/UFC/ufc_3_280_04.pdf) - [Similar pages](#)

[PDF] [DEF\(AUST\)206E HANDBOOK OF LIQUID FUELS, LUBRICANTS AND ALLIED ...](#)

File Format: PDF/Adobe Acrobat

Apparent **Viscosity**. The ratio of **shear** stress to the rate of **shear**, ... A solid to semifluid product of a **dispersion** of a **thickening agent** in a ... [www.defence.gov.au/.../V9%20-%20203597%20Trailer/041%20DEF\(AUST\)206E.pdf](http://www.defence.gov.au/.../V9%20-%20203597%20Trailer/041%20DEF(AUST)206E.pdf) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

resin particle and (thickening agent or thickener)

[Search](#)

[Advanced Search](#)  
[Preferences](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Web Results 51 - 60** of about **159** for **resin particle and (thickening agent or thickener) and shear force and**

**[PDF] S6.01: Technical Guidance for the Pulp and Paper Sector (PDF)**

File Format: PDF/Adobe Acrobat

This guidance has been produced by the Environment **Agency** for England and Wales in ...  
emulsifiers/promoters. 0-20 kg/t paper. **Aqueous. Dispersion ...**  
[www.sepa.org.uk/pdf/ppc/uktech/ippc\\_s6\\_01.pdf](http://www.sepa.org.uk/pdf/ppc/uktech/ippc_s6_01.pdf) - [Similar pages](#)

**[PDF] COPPER 99 - COBRE 99 Pointe Hilton Resort**

File Format: PDF/Adobe Acrobat

bioleaching, heap leaching of fine **particles, resin** in ... The entry into **force** of the  
Convention ... bulent **particle dispersion**, heterogeneous **particle ...**  
[www.tms.org/Meetings/Specialty/Copper99/Copper99-TechProgram.pdf](http://www.tms.org/Meetings/Specialty/Copper99/Copper99-TechProgram.pdf) - [Similar pages](#)

**Keywords-Englisch** - [ [Translate this page](#) ]

High Temperature High **Shear Rate Viscosity** (HTHSV) ... **thickening**. épaississement.  
Verdicker. **thickener**. épaississant. Verdickungsmittel. **thickener ...**  
[www.oetg.at/website/html/keywords-englisch.html](http://www.oetg.at/website/html/keywords-englisch.html) - [Similar pages](#)

**[PDF] DEPARTMENT OF THE ARMY EM 1110-2-1424 US Army Corps of Engineers ...**

File Format: PDF/Adobe Acrobat

and amount of **thickener** used and the **viscosity** of its base oil. ... coatings consisting of a  
solid lubricant and binding **resin agent** are applied to the ...  
[www.usace.army.mil/publications/eng-manuals/em1110-2-1424/basdoc.pdf](http://www.usace.army.mil/publications/eng-manuals/em1110-2-1424/basdoc.pdf) - [Similar pages](#)

**[PDF] The Patent Office Journal 24.06.2005 17689**

File Format: PDF/Adobe Acrobat

form an **aqueous** coating **dispersion**, applying an effective amount of said ... **agent**,  
without need of an additional structurant to stabilize **particles** in ...  
[www.patentoffice.nic.in/ipr/patent/journal\\_archieve/pat\\_arch\\_062005/official\\_journal\\_24062005.pdf](http://www.patentoffice.nic.in/ipr/patent/journal_archieve/pat_arch_062005/official_journal_24062005.pdf) - [Similar pages](#)

**[PDF] Memorandum D11-11-2 In Brief Ottawa, June 30, 2000 SUBJECT POLICY ...**

File Format: PDF/Adobe Acrobat

This viscose liquid is an **aqueous** emulsion (**dispersion**) of a compounded, ... for  
**thickening** and dewatering sludge by centrifugal **force** in municipal effluent ...  
[www.cbsa-asfc.gc.ca/E/pub/cm/d11-11-2/d11112-e.pdf](http://www.cbsa-asfc.gc.ca/E/pub/cm/d11-11-2/d11112-e.pdf) - [Similar pages](#)

**C- p D i - 2 a... 1L Tv .... PUJ .(S) .-D , JV., 0- P ...** - [ [Translate this page](#) ]

chasse-goupille pulp pulpe punching poinçonnage (-) **thickener** epaississeur de ... daN ton  
**force** (USA 2000 lbf) 889644 daN L Viscosité / **Viscosity** Viscosité ...  
[www-wds.worldbank.org/.../WDSP/IB/1999/09/17/000178830\\_98101911180474/Rendered/INDEX/multi\\_page.txt](http://www-wds.worldbank.org/.../WDSP/IB/1999/09/17/000178830_98101911180474/Rendered/INDEX/multi_page.txt) - 764k -  
[Cached](#) - [Similar pages](#)

**[PDF] Derwent World Patents Index**

File Format: PDF/Adobe Acrobat

UF High **shear melt viscosity**; Melt elasticity; Mooney ... "The **viscosity** of a polymer  
**dispersion** in a plasticiser." BT Flow properties. 512 (L) 330 [1] ...  
[www.thomsonscientific.jp/training/material/polymer\\_dictionary2.pdf](http://www.thomsonscientific.jp/training/material/polymer_dictionary2.pdf) - [Similar pages](#)

[PDF The Safe Disposal of Hazardous Wastes - The Special Needs and ...](#)

File Format: PDF/Adobe Acrobat

and air bubbles **force** the surface of the blanket above the water level, inducing drainage of water from the sludge **particles**. Similar to gravity **thickening** ...


[www.p2pays.org/ref/23/22500.pdf](http://www.p2pays.org/ref/23/22500.pdf) - [Similar pages](#)

[Melbourne Research Office -> Research Data Collection ...](#)

Hulston J - Use of flocculants in **thickening** and washing of bauxite ... on mica in **aqueous** solution studied by X-ray diffraction and atomic **force** microscopy. ...

[www.research.unimelb.edu.au/rpag/reports/research/2001/engineering/](http://www.research.unimelb.edu.au/rpag/reports/research/2001/engineering/) - 319k -

[Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [Next](#)

resin particle and (thickening agent or thickener) and shear force and aqueous ...

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google